

WeiTronic operating comfort



*Ultramodern remote control  
technology for your patio comfort*

The *WeiTronic operating comfort*  
allows you to control your weinor accessories with ease –  
the practical weather sensors are activated

[www.weinor.com](http://www.weinor.com)

Relax al Fresco |

**weinor**



*Operate your weinor accessories from  
the comfort of a remote control*

Maximum operating comfort – so easy, it's child's play



With the ready-programmed **WeiTronic** remote control device, you can operate your awnings, patio lighting or patio heating, for example, all from the comfort of your favourite chair. Just one **WeiTronic** remote control unit is enough to operate up to five different devices.





## All in one

At weinor, we not only stand for first-rate awnings, conservatories and patio roofs but also offer easy ways to control all of your electronic components. As an all-in-one supplier, all of our products fit together perfectly.

# Numerous applications for your comfort




### Open and retract awnings with ease

Open and retract your awnings automatically. Without leaving the comfort of your seat. Your **WeiTronic** remote control does it for you!

### Sensitive to weather

With the **WeiTronic** handheld remote control, you can switch the automatic sun monitor on and off by remote control.



### Regulate and adjust the heat at the touch of a button

Need to turn the heat down a little? With the **WeiTronic**, the patio heating **Tempura** can be switched on and off or even finely adjusted.

### The perfect climate – quick and easy

A conservatory should always have the right climate. Using your remote control, you can operate the **WeiTop DL** roof vents and the **WeiTop DS** sliding roof window.



### Regulate and dim the lighting at the touch of a button

With the **WeiTronic** remote control system, you can regulate your awning lights or even the **Light Bar Lux/Design Lux** to create the right atmospheric lighting for your patio. The lighting can be dimmed to any level.



## Fully in tune with your needs

Depending on what and how many functions you want to control, we offer a wide range of ready-programmed models for the **WeiTronic Remoto** handheld remote control.

This means that up to five different receivers or groups of receivers as well as the automatic sun sensor on the weather sensors can be turned on and off.



## *Handheld remote controls and remote control receivers are all that you need*



You can, of course, control your electronic accessories from a fixed point if you would like to. With this in mind, weinor offers the **WeiTronic wall sensor Unitec-868** or the **WeiTronic AstroTec-868** remote control timer, both of which can be wall-mounted. The remote control timer can be used to precisely control the times when your awnings or heating run, for example.

## The best quality for the highest demands



The quality of a weinor product can be seen in its numerous well-thought-out details. As the motor has been separated from the remote control receiver, the system is especially service-friendly. Since you transmit on a special frequency of 868.3 MHz, you can be certain that no neighbouring frequencies will disrupt or jam the system. The maximum range of up to 100 metres in the open gives you a high degree of flexibility.

## *All in the name of good reception*

### How to control your electronic accessories



#### Pleasant warmth

Regulate and adjust the **heating system tempura** using the **WeiTronic Combo-868 HD**.



#### Simple motor control

Use the **WeiTronic Combo-868 MA** to switch conventional motors on and off, such as the awning motor or the motor for a sliding roof window.



#### Remote control mains socket

The **WeiTronic Combo-868 ST** remote control mains socket allows you to operate any electronic device.

#### Always a good climate

Operate the roof vents with the **WeiTronic Combo-868 LD-AN**.



We recommend the combination of **WeiTronic Combo-868 HD** and **Design Bar**.



#### Atmospheric lighting


Regulate and dim the **weinor light bars** using the **WeiTronic Combo-868 LD-AB**.

#### Easy installation

The all-in-one **WeiTronic Combo-868 MVL** remote control receiver operates three devices in one: motor, Valance Plus valance and lighting. The all-in-one **WeiTronic Combo-868 ML** remote control receiver operates both motor and lighting with just one set of controls.



## Sample functions



Required function	Required handheld remote controls	Required receivers	Required sensors
I. Open and retract an awning	> Remoto 1	+ Combio-868 MA	
II. Open and retract an awning + sun/wind sensor	> Remoto 1M	+ Combio-868 MA	+ Aero-868 Solar
III. Open and retract an awning + regulate and dim lighting (e.g. on Opal Lux)	> Remoto 5	+ Combio-868 ML	
IV. Open and retract an awning + regulate and dim lighting retract or extend Valance Plus + regulate and adjust heating system Tempura + sun and wind sensors	> Remoto 5M	+ Combio-868 MA + Combio-868 LD-AB + Combio-868 HD 1,5 kW	Sensero-868 AC 230 Plus



## Twice the protection

The remote controlled sensors in the **WeiTronic** range offer you and your awning the right protection. Automatically open your awning when the sun shines, and retract it in good time when it rains or turns windy.

# *Sensors protect your awnings*

and ensure that your awning opens or retracts in keeping with the weather



### Sun sensor

Even if you cannot see your awning, you don't want your patio or conservatory to build up heat. The **WeiTronic Lumero-868** automatically opens the awning when the sun shines.



### Sun-wind sensor

The **WeiTronic Aero-868 AC 230** opens the awning automatically when the sun shines and closes it when it turns windy. The same function can be performed using the solar-powered **WeiTronic Aero-868 Solar**.



### Sun-wind-rain sensor

This innovative **WeiTronic Sensero-868 AC 230** also retracts your awning when it starts to rain. In addition to the light sensor, this device has a flowmeter underneath, and since it has no windmill, is significantly slimmer than previous models.



### Product protection sensor

The **WeiTronic Agido-868** retracts the folding arm awning when vibrations or other movements are detected, standard for folding arm awnings.



▲ weinor awnings

# Your dream patio at any time of year



▼ The Glasoase® from the weinor world of terraces



reddot design award  
winner 2009



reddot design award  
winner 2008

▲ weinor patio roofs  
with VertiTex awning



▲ weinor conservatories

No matter what you want to use your patio for, weinor has the right product for you – awning, patio roof, Glasoase® and conservatory

As an experienced specialist, your weinor dealer will help you throughout the process, from planning to completion. They will help make your patio dreams come true and will support you with advice and help. That way you stay on the safe side at all times.

**Important Informations:**

**For textile sun protection:** Creases can form in the fabric and when folding the awning cloth. That can lead to the areas of the fold appearing darker when seen against the light, particularly with light colours. Folds in the fabric in the areas of the seam, border and panels can be caused by multiple layers of fabric and different diameters of rolled up fabric. The stresses in the fabric caused by this can lead to rippling (e.g. waffle or fish-bone shapes). This is normal to differing degrees with nearly all awning fabrics. Creases and folds in the fabric do not reduce the awning's value or its suitability for its purpose. Awnings and conservatory blinds are for protection from the sun and should be rolled up in rain

and strong winds. Wet fabric creases more easily and as far as possible should only be retracted after drying out (please take care in strong winds and avoid the formation of puddles). Depending on the colour of the ordered frame we supply all small parts as well as crank handles and drives for units with crank mechanisms in black (similar to RAL 9005), white (similar to RAL 9016) or grey (similar to weinor 7319). **For patio roof, Glasoase®, conservatory:** contact a qualified conservatory builder for information on the causes of condensation and occasional cracking noises, and on how to avoid these from the outset during the planning stage.

[www.weinor.com](http://www.weinor.com)

Your dealer will be happy to advise you:

Worth & Co Blinds Ltd  
R/O 26-30 Christchurch Rd  
Southend on Sea  
Essex SS2 4JS  
Tel: 01702 467581  
E-mail; [sales@worthblinds.com](mailto:sales@worthblinds.com)  
[www.worthblinds.com](http://www.worthblinds.com)