

Folding arm awnings

Trentino Min Trentino Toscana Min Toscana Toscana Grande













Successful sunshade products since 1998

Based in Ludwigslust, Lewens has been manufacturing high-quality awning and glass roof systems for over 20 years. These range from simple to complex to meet every requirement.

The development of models and equipment options is influenced just as much by current trends as by the wishes and suggestions of specialist dealers and customers. This is how product series like the full cassette awnings featured here come into being: the Trentino and Toscana model families, both with an unmistakable appearance and unique shape, are characterised by their innovative design and high level of functionality.

Production takes place in a fully integrated operation - from the design and making up of the fabric to assembly –on a site covering over 22000 m². Highgrade materials, well thought-out design and precision in cutting and parts production, together with computer-aided automation in the manufacturing process, form the basis for products distinguished by their extreme reliability.

Consultancy and sales are entrusted to competent retailers, along with installation and on-site servicing. This creates proximity to the customer and ensures optimal service, so that our customers can just enjoy life!

made in <mark>germany</mark>

Quality "made in Germany":

all awnings and glass roofs from Lewens ar



Just **enjoy** life!



Trentino Mini



Trentino



Toscana Mini



Toscana



Toscana Grande



Contents

Models

4
6
8
10
12

Equipment

Focus on function and workmanship	1-4
Comfort options Vario Valance, electrics and wireless	16
Fabrics and colours Fabric collection and choice of frame colours	18
Technical data at a glance	20


To match

Micro 700	22
Side screen awning	



Trentino Mini – the small flat cassette

Full-cassette awning for balconies and small outdoor seating areas




Function enhanced by design

- the connection of folding arms to front profile

Elegance and stability

– the arm brackets







The **Trentino Mini** creates a snug seating area and adds a splash of colour to small patios.

The angular design of the Trentino Mini creates a particularly harmonious combination with modern geometrical architecture and current trends. Like the large models in the Trentino family, the Trentino Mini offers a high level of comfort and superior quality standard. It can be equipped with a variety of optional extras.





Full cassette

Enclosed all around and measuring just 11.8 cm in height, the cassette reliably protects the awning from the effects of the weather.



Trentino – the flat cassette to suit every style

Full-cassette awning for large patios and outdoor seating areas



Full cassette

Enclosed all around and measuring just 16.1 cm in height, the cassette reliably protects the awning fabric from the effects of the weather. It fits snugly against the wall, creating a harmonious transition between awning and façade.





- Width of single unit max. 700 cm, joined system max. 1.950 cm, drop max. 400 cm
- Snug wall fitting
- Electric motor

Options: Radio motor/radio remote control, automatic weather sensor, LED lighting, radiant heater, support legs, Vario Valance (Angular type)

Angular type

The clean shape of the angular front profile creates a particularly harmonious combination with modern façade design.

Cassette: H 161 x D 261 mm



Rounded type

The rounded front profile with its soft contours sets the right tone for traditional construction forms.

Cassette: H 161 x D 252 mm



The Angular and Rounded model variants of the Trentino full-cassette awning offer versatile design options for large patios and balconies. The Angular type with its linear, angular front profile forms the perfect complement to modern geometrical architecture, while the design of the Trentino Rounded model was developed with classical construction styles in mind.









Toscana Mini — the small round cassette

Space-saving elegance for balcony and loggia



Attachment

The awning is delivered optionally with brackets facing to the rear (for wall mounting) or upwards (for ceiling mounting). The brackets are located on the outside of the awning in the area of the arm brackets.





Compact yet classy

- Width max. 450 cm, drop max. 250 cm
- Electric motor
- Options:
 Radio motor/
 radio remote control,
 automatic weather sensor,
 LED lighting,
 support legs



Shade and privacy

Due to the special design of the Toscana Mini, a larger pitch angle can be set during assembly:

Possible pitch angles::

Mounting	Wall	Ceiling
Motor drive	5 - 60 °	5 - 60 °
Crank drive	5 - 27 °	5 - 60 °

Developed especially for small balconies and areas of shallow depth, the Toscana Mini awning boasts sophisticated technical details and comfort options.

The smallest full-cassette awning in the Toscana series turns even the smallest balcony into a favourite bolt-hole to relax in. The design of the Toscana Mini permits a steep pitch angle on installation, meaning that it offers privacy and shade even when the sun is low in the sky.





Full cassette

The compact cassette, just 10.5 cm high, protects the awning fabric reliably against the effects of the weather when closed.



Toscana – playful airiness

A classic for balconies and medium-sized patios



Attachment

The awning is supplied optionally with brackets facing to the rear (for wall mounting) or upwards (for ceiling mounting). The brackets are located on the outside of the awning in the area of the arm brackets.





Equipment and extras

- Width max. 550 cm, drop max. 300 cm
- Electric motor
- Options:
 radio motor/radio remote control,
 automatic weather sensor,
 LED lighting,
 support legs



Due to the special design of the Toscana, a larger pitch angle can be set during assembly.

The awning thus offers privacy and shade even when the sun is low in the sky

Possible pitch angles:

Mounting	Wall/Ceiling
Motor drive	5 - 80 °
Crank drive	5 - 45 °

As an award-winning classic design from the house of Lewens, the Toscana embodies timeless elegance and adds a stylish touch to any balcony or patio. A particular highlight is that the Toscana can be fitted with an especially large pitch angle, thereby creating additional shade and privacy.





Full cassette

The 13 cm high cassette protects the awning reliably against the effects of the weather when retracted.



Toscana Grande — large-scale shade

The ultimate in comfort for large patios



Full cassette


When the awning is retracted, the front profile closes the cassette completely, protecting both fabric and mechanism reliably from the effects of the weather.





Equipment options to increase the comfort

- Width, 1 unit, max. 700 cm, joined system max. 1950 cm, drop max. 400 cm
- Electric motor
- Options: Radio motor/radio remote control, automatic weather sensor, LED lighting radiant heater, support legs, Vario Valance



Up to a width of 650 cm, the Toscana Grande is attached to wall or ceiling using just two brackets (illustration on the left).

The bracket attachment is variable thanks to specially developed casing holders, which permit a lateral tolerance on installation

Vario Valance (option)

The Vario Valance offers variable shade from the sun and glare protection, especially when the sun is low in the sky, without any loss of headroom un der the awning.





The biggest full-cassette awning in the Toscana series with a self-supporting, oval casing presents a convincing combination of compactness and elegance and is especially suitable for large patios. When mounted on wall, ceiling or rafters, the Toscana Grande appears to float, radiating a notable lightness, even in large formats or as a joined system.



Privacy

The optional Vario Valance also guards against unwanted attention from outside. If Soltis woven fabric is selected, the view outwards is retained.



Quality and technology made in Germany

Thanks to their clean design, quality and a variety of equipment options, full-cassette awnings from Lewens make a convincing impression. Centimetre-accurate manufacturing, even in intermediate sizes, ensures a perfect fit in virtually any desired location.



$Full-cassette\ awnings\ are\ folding\ arm\ awnings\ with\ a\ self-supporting\ casing.$


They are therefore especially compact and space-saving.

Enclosed all round, they protect the retracted awning and mechanism reliably from the effects of the weather.



Durable and robust:

Arm bracket of high-strength aluminium alloy, upper arm fork of forged aluminium.



The **front profile bracket** connects the arms securely to the front profile and permits easy adjustment of the angle.



A plastic sheath prevents soiling and corrosion of the double cable in the central folding arm joints and extends its service life.



All double cables are greased for improved running with less friction.

The axle pins of the hinges consist of stainless steel.





Guaranteed quality






TÜV-tested quality and CE standard:

Look out for the seal and the mark guaranteeing the technical safety of our products.



Branded goods from Germany:

Lewens awnings are manufactured and assembled in Germany – quality "made in Germany"!



Models

 Toscana Grande Trentino

Standard equipment

- Supplied as standard with crank operation and acrylic awning fabric
- Hanging heights: 150 and 200 cm
- For systems up to 600 x 300 cm or 500 x 350 cm
- Always with additional short valance

Extras


surcharge)

- Awning in Soltis 92 (hanging height then approx. 160 cm)
- Vario Valance with radio motor (only on awning with radio motor; hanging height then 150 cm in acrylic and 160 cm in Soltis 92)

Not in connection with radiant heater.

Vario Valance Option

The Vario Valance offers variable shade and privacy while retaining the headroom below the awning. When the awning is retracted, the Vario Valance can also be used as a window blind, creating shade and a cool climate inside.




Toscana Grande

with Vario Valance option

Trentino

with Vario Valance option







Radio controllers in io technology from Somfy create the prerequisites for integrating all patio functions into the home automation system (TaHoma, Connexoon), with convenient operation by tablet or Smartphone.



Automatic weather sensor

Sun and wind monitors and wind sensors to io standard ensure automatic, weather-dependent control of awnings – even when there's no one at home.




Infrared radiant heaters

to io standard provide cosy warmth under awnings and glass roofs,even on chilly days



Options Electrical


Want more than the wall switch for operation and other comfort features too? Then you have the choice of radio control systems, lighting, radiant heater and automatic weather sensor components meeting the current Somfy io standard, which can be integrated into the home automation system (TaHoma, Connexoon). All patio functions can thus be conveniently operated via tablet or smartphone.



LED lighting

Equipped with a radio receiver for io technology, suitable mood lighting for any situation can be created by remote control or via the home automation system.









Standard RAL colours at no extra charge:



































Textured finishes **at no extra charge**:













Frame colours

to order

The frames of Lewens awnings and glass roofs are given a high-grade powder coating, rendering them particularly UV- and weather-resistant. An optional preanodising treatment increases the durability of the coating for products used in coastal regions. Hundreds of RAL colours and textured finishes are available to choose from, including a wide range of contemporary colours offered as standard at no extra charge.

E6/EV1 anodised As well as powder-coated finishes, the frames of nearly all models are also offered in **natural silver**.

Finish: frame in **E6/EV1 silver anodised**,

 $small\ components\ such\ as\ hinge\ parts,\ brackets\ etc.\ powder-coated\ in\ silver\ RAL\ 9006.$





With well over 300 designs to choose from, the Lewens collection offers you high-quality, spun-dyed acrylic and polyester fabrics that retain their colour brilliance for a long time. Semi-transparent, glass fibre woven screen fabrics and Soltis 92 complete the range, which features modern and classic designs, solid colours, fine textures and 3D effects across the entire colour spectrum.

Lewens awning fabrics have been created especially for use outdoors and are treated to make them water- and dirt-repellent. We make the awnings up using the latest sewing techniques for distortion-free seams and also using ultrasonic bonding. We have designed our manufacturing facility so that the awning fabrics can be laid out entirely flat (not folded) for making up.

Some of our quality features:

- Secure lockstitch used for making up, optionally also with ultrasonically bonded seam (surcharge).
- Awning and valance are produced from one piece (identical repeat pattern)
- Seams on top and bottom and valance seam neatened (clean completion)
- Repeat-symmetrical completion left and right
- Use of Tenara® quality sewing yarn (also for valances)

The Collection

Fabrics ranging from modern to classic

Valance styles

Stule 3





Trentino

Equipment and technical features













Manufactured and assembled in Germany TÜV-tested safety Quality and technology CE-compliant

Trentino Mini

Trentino


Trentino


Full cassette, flat cassette (Flx D) 188 x 209 mm 161 x 261 mm 161 x 261 mm Widths (max) 450 cm 700 cm 700 cm 1 unit (Emzelyled) 450 cm 700 cm 1200 / 1,950 cm 2 units/3 units (joined system with silic cover) - 1,200 / 1,950 cm 1200 / 1,950 cm Arm lengths 150 / 200 / 250 cm - <	Туре		Angular	Rounded
1 unit (Enzelfeld) 450 cm 700 cm 700 cm 2 units (gined system with slit cover) — 1,200 / 1,950 cm 1,200 / 1,950 cm 1 200 / 1,950 cm 1 1,200 / 1,950 cm 1 1,200 / 1,950 cm 1	Full cassette, flat cassette (H x D)	118 x 209 mm	161 x 261 mm	161 x 252 mm
2 units/3 units (joined system with slit cover) - 1.200/1.950 cm	Widths (max.)			
Orops Arm lengths 150 / 200 / 250 cm	1 unit (Einzelfeld)	450 cm	700 cm	700 cm
Arm lengths 150 / 200 / 250 / 400 cm -	2 units/3 units (joined system with slit cover)	-	1.200 / 1.950 cm	1.200 / 1.950 cm
Arm lengths 300 / 350 / 400 cm - <td< td=""><td>Drops</td><td></td><td></td><td></td></td<>	Drops			
Special arm lengths □ □ Drive □ <td>Arm lengths 150 / 200 / 250 cm</td> <td></td> <td></td> <td></td>	Arm lengths 150 / 200 / 250 cm			
Drive Electric motor (for wall switch) ■ ■ ■ Radio motor (io or RTS) □ □ □ Crank drive □ □ □ Frame colours TRAL colours and 6 textured finishes (Lewens standard colours) ■ ■ ■ Natural silver (E6/EV 1 anadized, small components RAL 9006) ■ ■ ■ ■ Special RAL, special colours and effect finishes □ □ ■ <td>Arm lengths 300 / 350 / 400 cm</td> <td>-</td> <td></td> <td></td>	Arm lengths 300 / 350 / 400 cm	-		
Electric motor (for wall switch) Radio motor (io or RTS) Crank drive Frame colours Frame colours Natural silver (E6/EV r anadized, small components RAL 9006) Special RAL, special colours and effect finishes Special RAL, special colours and effect finishes Awning fabrics from the LEWENS collection Branded acrylic (spun-dyed, ultra fode resistant) Branded polyester (spun-dyed, ultra fode resistant) Branded polyester (spun-dyed, ultra fode resistant) Branded polyester (spun-dyed, ultra fode resistant) Ultrasonic seam welding Valance without valance without valance without valance 1 Radio motor + radio remote control (io or RTS) 2 Automatic weather sensor (sun, wind, rain) 3 Lighting – LED lighting strip — LED spot bar 4 Radiant heater (not with 6; with 3 only wall attachment) 5 Support legs (not with 2) 6 Value (wall accompany to the control or with 4) Attachment Wall Elelling	Special arm lengths			
Radio motor (io or RTS)	Drive			
Frame colours 17 RAL colours and 6 textured finishes (Lewens standard colours)	Electric motor (for wall switch)			
Frame colours 17 RAL colours and 6 textured finishes (Lewens standard colours) 18 Natural silver (E6/EV1 anodized, small components RAL 9006) Special RAL, special colours and effect finishes Special RAL, special colours and effect finishes Awning fabrics from the LEWENS collection Branded acrylic (spun-dyed, ultra fade resistant) Branded polyester (spun-dyed, ultra fade resistant) Branded pol	Radio motor (io or RTS)			
TRAL colours and 6 textured finishes (Lewens standard colours)	Crank drive			
Natural silver (E6/EV 1 anodized, small components RAL 9006) Special RAL, special colours and effect finishes Awning fabrics from the LEWENS collection Branded acrylic (spun-dyed, ultra fade resistant) Branded polyester (spun-dyed, ultra fade resistant) Branded polyester (spun-dyed, ultra fade resistant) Tenara quality sewing yarn Ultrasonic seam welding Valance with valance by the valance control (io or RTS) control c	Frame colours			
Special RAL, special colours and effect finishes	17 RAL colours and 6 textured finishes (Lewens standard colours)			
Awning fabrics from the LEWENS collection Branded acrylic (spun-dyed, ultra fade resistant) Branded polyester (spun-dyed, ultra fade resistant) Cenara quality sewing yarn Ultrasonic seam welding Valance without valance with valance or in Radio motor + radio remote control (io or RTS) c Automatic weather sensor (sun, wind, rain) c I Radiant heater (not with 6; with 3 only wall attachment) c I Radiant heater (not with 4) c I Ratachment Wall Celling Celling Celling	Natural silver (E6/EV 1 anodized, small components RAL 9006)			
Branded acrylic (spun-dyed, ultra fade resistant) <td< td=""><td>Special RAL, special colours and effect finishes</td><td></td><td></td><td></td></td<>	Special RAL, special colours and effect finishes			
Branded polyester (spun-dyed, ultra fade resistant) Tenara quality sewing yarn Ultrasonic seam welding Valance Without valance with valance options I Radio motor + radio remote control (io or RTS) I Radio motor + radio remote control (io or RTS) I Radio motor + radio remote control (io or RTS) I Radio matic weather sensor (sun, wind, rain) I Lighting – LED lighting strip — LED spot bar — LED spot bar I Radiant heater (not with 6; with 3 only wall attachment) I Support legs (not with 2) I Vario Valance (not with 4) Attachment Wall Celling	Awning fabrics from the LEWENS collection			
Tenara quality sewing yarn	Branded acrylic (spun-dyed, ultra fade resistant)			
Ultrasonic seam welding Valance without valance with valance Options 1 Radio motor + radio remote control (io or RTS) 2 Automatic weather sensor (sun, wind, rain) 3 Lighting - LED lighting strip - - LED spot bar 4 Radiant heater (not with 6; with 3 only wall attachment) 5 Support legs (not with 2) 6 Vario Valance (not with 4) Attachment Wall Celling	Branded polyester (spun-dyed, ultra fade resistant)			
Valance without valance Image: state of the	Tenara quality sewing yarn			
with out valance with valance coptions Radio motor + radio remote control (io or RTS)	Ultrasonic seam welding			
with valance	Valance			
Options 1 Radio motor + radio remote control (io or RTS) 2 Automatic weather sensor (sun, wind, rain) 3 Lighting - LED lighting strip - - LED spot bar - 4 Radiant heater (not with 6; with 3 only wall attachment) (* 5 Support legs (not with 2) 6 Vario Valance (not with 4) - Attachment Wall Ceiling	without valance			
Radio motor + radio remote control (io or RTS)	with valance	-		
2 Automatic weather sensor (sun, wind, rain)	Options			
Lighting - LED lighting strip	1 Radio motor + radio remote control (io or RTS)			
- LED spot bar -	2 Automatic weather sensor (sun, wind, rain)			
4 Radiant heater (not with 6; with 3 only wall attachment) (*	3 Lighting — LED lighting strip		_	_
5 Support legs (not with 2) 6 Vario Valance (not with 4) Attachment Wall Ceiling	LED spot bar	_		
6 Vario Valance (not with 4) Attachment Wall Ceiling	4 Radiant heater (not with 6; with 3 only wall attachment)	[* 🗆]		
Attachment Wall Ceiling	5 Support legs (not with 2)			
Wall Ceiling Control or contro	6 Vario Valance (not with 4)	-		_
Ceiling	Attachment			
•	Wall			
Rafters	Ceiling			
	-			

Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.

■ Standard □ Option − not available

* only wall attachment





Toscana

Equipment and technical features













Manufactured and assembled in Germany TÜV-tested safety Quality and technology CE-compliant

Toscana Mini


Toscana Grande


Lit 10001 Quanty and teemnology et compilant	105cana 1-min	roscana	roscuna Granac
Full cassette (H x D)	105 x 185,5 mm	130 x 223 mm	157 x 239 mm
Widths (max.)	ווווו פ,פסו ג פטו	130 X 223 111111	157 X 259 111111
1 unit (Einzelfeld)	450 cm	550 cm	700 cm
2 units/3 units (joined system with slit cover)	430 (111	330 (111	1.200 / 1.950 cm
Drops			1.2007 1.330 CIII
Arm lengths 150 / 200 / 250 cm			
Arm lengths 300 cm			
Arm lengths 350 / 400 cm	_	_	
Special arm lengths			
Drive			
Electric motor (for wall switch)			
Radio motor (io or RTS)			
Crank drive			
Frame colours			
17 RAL colours and 6 textured finishes (Lewens standard colours)			
Natural silver (E6/EV 1 anodized, small components RAL 9006)			
Special RAL, special colours and effect finishes			
Awning fabrics from the LEWENS collection			
Branded acrylic (spun-dyed, ultra fade resistant)			
Branded polyester (spun-dyed, ultra fade resistant)			
Tenara quality sewing yarn			
Ultrasonic seam welding			
Valance			
without valance			
with valance			
Optionen			
1 Radio motor + radio remote control (io or RTS)			
z Automatic weather sensor (sun, wind, rain)			
3 Lighting — LED lighting strip			-
LED spot bar	-	-	
4 Radiant heater (not with 6; with 3 only wall attachment)	[* 🔲]	[* 🗆]	
5 Support legs (not with 2)			
6 Vario Valance (not with 4)	-	-	
Attachment			
Wall			
Ceiling			
Rafters			


Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.

■ Standard □ Option − not available

* only wall attachment







TO MATCH:



Micro 700 – side screen awning

The perfect complement to the folding arm awning

The Micro 700 is simply extended using the **handle** (position and number optional) and hooked onto the wall mounting or post.

The **bottom castor** enables the awning to be guided easily. The awning shaft is fitted with an anti-kickback brake for safe, convenient operation







Wall cassette (W x D)	108,8 x 100,6 mm		
Unit height (max.)			
1 unit (single panel)	250 cm		
Extension (max., depending on fabric and height)	Height up to 134 cm	Up to 190 cm	Up to 250 cm
Acrylic/Polyester	400 cm	300 cm	300 cm
Soltis 92	400 cm	400 cm	300 cm
Drive			
Manual operation, 1 handle			
Manual operation, further handles			
Frame colours			
17 RAL colours and 6 textured finishes (Lewens standard colours)			
Natural silver (E6/EV 1 anodized, small components RAL 9006)			
Special RAL, special colours and effect finishes			
Awning fabrics from the LEWENS collection			
Branded acrylic (spun-dyed, ultra fade resistant)			
Soltis 92			
Branded polyester (spun-dyed, ultra fade resistant)			
Tenara quality sewing yarn			
Ultrasonic seam welding			

The Micro 700 side screen awning provides shelter from the sun, wind and unwanted attention, creating a snug refuge on the patio, balcony or loggia. The Micro 700 complements the conventional sunshade in terms of function and design. The fabrics of all Lewens products can be perfectly coordinated with one another.









www.lewens-markisen.de



Your stockist will be happy to advise you: